# EveryPay

# WooCommerce plugin
## Merchant Integration Manual

2016-03-01

## Features

- Adds EveryPay card payment gateway service to the WordPress WooCommerce installation for supporting Visa and MasterCard payments.
- Enables embedding the payment form to the checkout workflow in iFrame.
- One-click-payments allow returning customers to perform payments faster and easier using saved card details.

iFrame payment form:

## Pay for order

| ORDER NUMBER: | DATE: | TOTAL: | PAYMENT METHOD: |
|---|---|---|---|
| 545 | October 26, 2017 | 12,50€ | Card Payments |

5168 8321 3636 0487

John Doe

10 / 18        119

**Pay €12.50**

Verified by VISA        MasterCard. SecureCode.

**Cancel order**

Edit

EveryPay

One-click-payments:



## Requirements

The extension has been tested to work with the following software versions:
- WooCommerce 3.0 and above
- WordPress 4.4 and above (tested up to 4.8.2)
- WPML Multilingual CMS 3.1 and above (for multi-language support, tested up to 3.7.9)
- PHP 5.4 or above

However, it's possible that the extension works even when these are not met.

## Installation

EveryPay extension is available in WordPress plugin directory free of charge:
https://wordpress.org/plugins/everypay-payment-gateway-for-woocommerce/

Suggested installation and update of EveryPay plugin is using GitHub Updater plugin:

1. Download the latest version.
2. Install plugin from ZIP file via WordPress plugin manager.
3. Go to 'WooCommerce' > 'Settings' > 'Checkout' > 'EveryPay', enable it and enter your API username and password that can be found in EveryPay Merchant Portal (see more detailed instructions below)

EveryPay gateway plugin has support for English and Estonian language included, additional translations can be added by translating .pot file found in `languages` directory or with WPML's String Translation.

# Configuration

Once the plugin is activated configuration options for EveryPay gateway can be found in WordPress admin under 'WooCommerce' -> 'Settings' -> 'Checkout' -> 'EveryPay'

## EveryPay

EveryPay is a card payment gateway service provider, enabling e-commerce merchants to collect credit and debit card online payments from their customers.

Merchant Portal | Contacts | Documentation

**Enable/Disable**

☑ Enable EveryPay

**Payment form type**

iFrame payment form integrated into checkout ▼

*Hosted form on EveryPay server is the secure solution of choice, while iFrame provides better customer experience (https strongly advised)*

**Skin name**

default

*Appearance of payment area can be set up in EveryPay Merchant Portal, under 'Settings' > 'iFrame skins'*

**Saved cards**

☑ Enable payments with saved cards

*When card token payments are enabled users get an option to store reference to credit card and can make future purchases without need to enter card details.*

**Title**

Card payment

*This controls the title which the user sees during checkout. For translation with WPML use English here and translate in String Translation. Detailed instructions here.*

**Description**

Card payments are provided by EveryPay

*This controls the description which the user sees during checkout. For translation with WPML use English here and translate in String Translation. Detailed instructions here.*

**Processing Account**

EUR3D1

*You'll find this in EveryPay Merchant Portal, under 'Settings' > 'Processing accounts' section (looks like: EUR1).*

◉ EveryPay

API username

`1234abcd1234abcd`

*You'll find this in EveryPay Merchant Portal, under 'Settings' > 'General settings' section (looks like: 49bcdd6fed983c12).*

API secret

`1234abcd1234abcd1234abcd1234abcd`

*You'll find this in EveryPay Merchant Portal, under 'Settings' > 'General settings' section (looks like: e7ed4e55d5f73158f6cf2890fb1c950e).*

Debug Log

☑ Enable logging

*Log EveryPay events inside* `/www.shop.com/woops/wp-content/uploads/wc-logs/everypay-e4d667ef76be28a86c655126393021c2.log`

Test

☑ Enable Test Mode

*Place the payment gateway in test mode using test API credentials (real payments will not be taken).*

Test API username

`1234abcd1234abcd`

*Optional: API username for testing payments.*

Test API secret

`1234abcd1234abcd1234abcd1234abcd`

*Optional: API secret for testing payments.*

[Save changes]

| Field name | Description |
|---|---|
| Enable/Disable | Activate EveryPay payment gateway as an option in checkout |
| Payment form type | Select "Redirect to hosted form on EveryPay server" to delegate most of security to EveryPay or "iFrame payment form integrated into checkout" to show payment form inside your checkout flow and provide more user-friendly shopping experience. Using SSL (https://) is strongly advised for iFrame form as user expect see green padlock on browser's address bar when entering private information. |
| Skin name | *(when iFrame has been selected)* Specifies iFrame form appearance that can be configured in EveryPay merchant portal. |
| Saved cards | Enables one-click-payments which allows returning customers to save their card details (a reference token to required card information in EveryPay system) for faster and easier payments in the future. |
| Title | Name of payment method to be shown as checkout option |

◉ EveryPay

| Description | Description of payment method, shown when user selects EveryPay method |
|---|---|
| Processing Account | Processing accounts are defined in EveryPay Merchant Portal.<br><br>**LIVE:**<br>https://portal.every-pay.eu/merchant_settings/processing_accounts<br><br>**TEST:**<br>https://mwt-demo.every-pay.com/merchant_settings/processing_accounts<br><br>Looks like this: EUR3D1 or USD3D1 |
| API username/secret | Everypay Live and Test servers have different API credentials.<br><br>API settings are defined in EveryPay **LIVE** Merchant Portal: https://portal.every-pay.eu/merchant_settings/general |
| Debug Log | Allows logging of payment process steps in detail. Transactions are logged always. |
| Test | Enables test mode with EveryPay test gateway that accepts payment with designated test cards but does not process real payments. When test mode is active warning is shown in WordPress admin. |
| Test API username/secret | Everypay Live and Test servers have different API credentials.<br><br>API settings are defined in EveryPay **TEST** Merchant Portal: https://mwt-demo.every-pay.com/merchant_settings/general |

# Test cards

Please note that only test cards must be used for testing. The following test cards can be used to perform successful test payments:

| Card type | Card number | Expiration date | CVC code | Cardholder name |
|---|---|---|---|---|
| Mastercard | 5168830763287080 | 10/21 | 949 | (any name) |
| Visa | 4761739001010010 | 09/25 | 179 | (any name) |
| Mastercard | 2223000010021381 | 12/19 | 656 | (any name) |

EveryPay

The 3DS authentication simulator (Poseidon bank) password is **secret**. To test failed payments, the easiest ways are to enter incorrect expiration date or incorrect 3DS password.

## Changelog

| Date | Change |
|------|--------|
| 2018-10-25 | Changed Mastercard test card out for a new one, added Mastercard test card with 22 beginning |
| 2018-03-22 | Added test cards info |
| 2018-03-19 | Updated  WooCommerce and Wordpress versions. |
| 2017-10-26 | Updated iFrame pictures.WordPress version tested up to 4.8.2. |
| 2016-01-03 | Updated to correspond to plugin v1.0.0 (added one-click-payment support) |
| 2015-11-12 | iFrame form support added |
| 2015-07-10 | Initial document |